



**SAFETY DATA SHEET**  
EURO HYDROWASH WM BLANKET/ROLLER WASH

Page: 1  
Compilation date: 20/02/2017  
Revision No: 1

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** EURO HYDROWASH WM BLANKET/ROLLER WASH

**Product code:** C500

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).

**1.3. Details of the supplier of the safety data sheet**

**Company name:** UK Euroconnect Ltd

Shoats Barn

Shelvin Farm

Canterbury

Kent

CT4 6RL

United Kingdom

**Tel:** +44 (0) 1303 844 000

**Fax:** +44 (0) 1303 844 001

**Email:** sales@ukeuro.com

**1.4. Emergency telephone number**

**Emergency tel:** +44 (0) 1303 844 000

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Asp. Tox. 1: H304; STOT SE 3: H336; Aquatic Chronic 2: H411; Flam. Liq. 3: H226; STOT SE 3: H335; -: EUH066

**Most important adverse effects:** Flammable liquid and vapour. May be fatal if swallowed and enters airways. May cause respiratory irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

EUH066: Repeated exposure may cause skin dryness or cracking.

**SAFETY DATA SHEET**  
EURO HYDROWASH WM BLANKET/ROLLER WASH

Page: 2

**Hazard pictograms:** GHS02: Flame  
GHS07: Exclamation mark  
GHS08: Health hazard  
GHS09: Environmental



**Signal words:** Danger

**Precautionary statements:** P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P273: Avoid release to the environment.  
P301+310: IF SWALLOWED: Immediately call a.  
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P331: Do NOT induce vomiting.

**2.3. Other hazards**

**PBT:** This product is not identified as a PBT/vPvB substance.

**Section 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients:**

HYDROCARBONS, C9-12, N-ALKANES, ISOALKANES, CYCLICS, (2-25%) AROMATICS - REACH registered number (s): 01-2119458049-33-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
919-446-0	-	-	STOT SE 3: H336; Aquatic Chronic 2: H411; Flam. Liq. 3: H226; Asp. Tox. 1: H304; -: EUH066	30-80%

HYDROCARBONS, C9, AROMATICS

918-668-5	-	-	Flam. Liq. 3: H226; STOT SE 3: H335; STOT SE 3: H336; Asp. Tox. 1: H304; Aquatic Chronic 2: H411; -: EUH066	19-30%
-----------	---	---	---	--------

MESITYLENE

203-604-4	108-67-8	-	Flam. Liq. 3: H226; STOT SE 3: H335; Aquatic Chronic 2: H411	5-10%
-----------	----------	---	--	-------

**Section 4: First aid measures**

**4.1. Description of first aid measures**

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.  
Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

[cont...]

# SAFETY DATA SHEET

EURO HYDROWASH WM BLANKET/ROLLER WASH

Page: 3

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Show this safety data sheet to the doctor in attendance.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Foam Dry chemical powder. Carbon dioxide. Water spray. Water fog. Do not use water jet as this may spread the fire

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

[cont...]

# SAFETY DATA SHEET

EURO HYDROWASH WM BLANKET/ROLLER WASH

Page: 4

## 6.4. Reference to other sections

**Reference to other sections:** See section 7 for information on safe handling. See Section 8 for information on personal protective equipment. See section 13 for disposal information.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.  
Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Suitable packaging:** It is recommended to store in original packaging

### 7.3. Specific end use(s)

**Specific end use(s):** Cleaning Solvent for Printers

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**HYDROCARBONS, C9-12, N-ALKANES, ISOALKANES, CYCLICS, (2-25%) AROMATICS**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	350mg/m <sup>3</sup>	-	-	-

**HYDROCARBONS, C9,AROMATICS**

UK	100mg/m <sup>3</sup>	-	-	-
----	----------------------	---	---	---

**MESITYLENE**

UK	25 ppm	-	-	-
----	--------	---	---	---

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Wear Nitrile Gloves of minimum thickness 0.5mm. Gloves should be replaced regularly or if any change in appearance is noticed. Ensure gloves are manufactured/tested in accordance with BS EN 374. Penetration times carried out according to EN 374 part III are not always practical, therefore max. wearing time of 50% of penetration time is recommended.

[cont...]

**SAFETY DATA SHEET**  
EURO HYDROWASH WM BLANKET/ROLLER WASH

Page: 5

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.

**Environmental:** An environmental assessment must be made to ensure compliance with local environmental legislation.

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Odour:** Aromatic

**Viscosity:** Non-viscous

**Flash point°C:** ~38C

#### 9.2. Other information

**Other information:** No data available.

### Section 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

**Conditions to avoid:** Heat. Sources of ignition. Flames.

#### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

### Section 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicity values:**

Route	Species	Test	Value	Units
VAPOURS	RAT	4H LC50	>9800	mg/l

[cont...]

# SAFETY DATA SHEET

EURO HYDROWASH WM BLANKET/ROLLER WASH

Page: 6

DERMAL	RBT	LD50	>10600	mg/kg
DERMAL	RAT	LD50	>4800	mg/kg
ORAL	RAT	LD50	>7500	mg/kg

## Hazardous ingredients:

### HYDROCARBONS, C9-12, N-ALKANES, ISOALKANES, CYCLICS, (2-25%) AROMATICS

DERMAL	RAT	LD50	>3400	mg/kg
ORAL	RAT	LD50	>15000	mg/kg
VAPOURS	RAT	4H LC50	>13100	mg/l

### MESITYLENE

IPR	GPG	LDLO	1303	mg/kg
-----	-----	------	------	-------

## Relevant hazards for product:

Hazard	Route	Basis
STOT-single exposure	INH	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity values:

Species	Test	Value	Units
(Hydrocarbons, C9-12, n-alkanes, isoalka	NOEC 21 days	0.097	mg/l
(Hydrocarbons, C9-12, n-alkanes, isoalka	72H ErC50	<10	mg/l
(Hydrocarbons, C9-12, n-alkanes, isoalka	48H EC50	<22	mg/l
(Hydrocarbons, C9-12, n-alkanes, isoalka	96H LC50	<30	mg/l
(Hydrocarbons, C9, aromatics) RAINBOW TR	96H LC50	9.2	mg/l
(Hydrocarbons, C9, aromatics) Daphnia ma	48H EC50	3.2	mg/l
(Hydrocarbons, C9, aromatics) Aquatic PI	72H ErC50	2.9	mg/l

[cont...]

**SAFETY DATA SHEET**  
EURO HYDROWASH WM BLANKET/ROLLER WASH

Page: 7

(Hydrocarbons, C9, aromatics) Chronic To	21days	2.14	mg/l
--	--------	------	------

**Hazardous ingredients:**

**HYDROCARBONS, C9-12, N-ALKANES, ISOALKANES, CYCLICS, (2-25%) AROMATICS**

AQUATIC PLANTS	72H ErC50	<10	mg/l
Daphnia magna	48H EC50	<22	mg/l
MICROORGANISMS	48H EC50	43.98	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	<30	mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** Readily biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** Substance is a UVCB. Standard tests for this endpoint are not appropriate.

**12.4. Mobility in soil**

**Mobility:** Floats on water.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Toxic to aquatic organisms. Toxic to soil organisms.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**14.1. UN number**

**UN number:** UN1268

**14.2. UN proper shipping name**

**Shipping name:** PETROLEUM DISTILLATES, N.O.S.  
(HYDROCARBONS, C9-12, N-ALKANES, ISOALKANES, CYCLICS, (2-25%) AROMATICS;  
HYDROCARBONS, C9,AROMATICS)

**14.3. Transport hazard class(es)**

**Transport class:** 3

[cont...]

# SAFETY DATA SHEET

EURO HYDROWASH WM BLANKET/ROLLER WASH

Page: 8

## 14.4. Packing group

**Packing group:** III

## 14.5. Environmental hazards

**Environmentally hazardous:** Yes

**Marine pollutant:** Yes

## 14.6. Special precautions for user

**Special precautions:** No special precautions.

**Tunnel code:** D/E

**Transport category:** 3

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** EU Legislation Regulation (EC) No 1907/2006 REACH. Regulation (EC) No 1272/2008  
CLP. Guidance Notes: Workplace Exposure Limits EH40

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

**Phrases used in s.2 and s.3:** EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.