

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2020

Version number 2.0

Revision: 02.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: FJ LC-V FINISHING SOL RTU 20L**
- **Article number:** 999366
- **Registration number**
Registration numbers of the individual components: see section 3.2, if applicable.
- **1.2 Relevant identified uses of the substance or mixture and uses advised against -**
- **Application of the substance / the preparation:** Finishing solution
- **Uses advised against**
Only for professional use.
Do not use for private purposes (household).
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
FUJIFILM Belgium NV
EUROPARK-NOORD 21-22
9100 SINT-NIKLAAS
BELGIUM
TEL: +32 3 760 02 00
- **Further information obtainable from:** EHS_FFBE@fujifilm.com
- **1.4 Emergency telephone number:** +32 3 760 02 00 (office hour: 8u-16u30)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
H319 Causes serious eye irritation.
- **Precautionary statements**
P264 Wash thoroughly after handling.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
- **Additional information:**
Contains Mixture of 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

(Cont. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2020

Version number 2.0

Revision: 02.07.2019

Trade name: FJ LC-V FINISHING SOL RTU 20L

(Cont. from page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

Reg.nr.: 01-2119513359-38-XXXX	lauramidopropyl betaine ☠ Eye Dam. 1, H318; Aquatic Chronic 3, H412	≥4-<5%
CAS: 61792-31-2 EINECS: 263-218-7	lauramidopropylamine oxide ☠ Repr. 2, H361; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.5-1.5%
CAS: 497-19-8 EINECS: 207-838-8 Reg.nr.: 01-2119485498-19-XXXX	sodium carbonate ☠ Eye Irrit. 2, H319	0.5-1.5%
CAS: 52-51-7 EINECS: 200-143-0 Reg.nr.: 01-2119980938-15-XXXX	2-bromo-2-nitropropane-1,3-diol ☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=10); ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	<0.025%
CAS: 55965-84-9	Mixture of 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one ☠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ☠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317	≥0.00025-<0.0015%

- **SVHC** Does not contain a SVHC according to REACH, Article 57
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Causes serious eye irritation.

(Cont. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2020

Version number 2.0

Revision: 02.07.2019

Trade name: FJ LC-V FINISHING SOL RTU 20L

(Cont. from page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
Supervision for at least 48 hours.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Remove persons from danger area.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.
- **Storage class:** 12

(Cont. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2020

Version number 2.0

Revision: 02.07.2019

Trade name: FJ LC-V FINISHING SOL RTU 20L

· **7.3 Specific end use(s)** No further relevant information available.

(Cont. from page 3)

SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

· **Respiratory protection:** Not necessary if room is well-ventilated.

· **Protection of hands:**

The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.



Protective gloves

· **Material of gloves**

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness ≥ 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness ≥ 0.38 mm, breakthrough time > 480 min) or neoprene (thickness ≥ 0.65 mm, breakthrough time > 240 min).

· **As protection from splashes gloves made of the following materials are suitable:**

For intermittent splash protection corresponding gloves with breakthrough time > 60 min. can be used.

· **Not suitable are gloves made of the following materials:** Natural rubber, NR

· **Eye protection:**



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

· **Body protection:** Protective work clothing

GB

(Cont. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2020

Version number 2.0

Revision: 02.07.2019

Trade name: FJ LC-V FINISHING SOL RTU 20L

(Cont. from page 4)

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form: Liquid
 - Colour: Yellow
- **Odour:** Mild
- **Odour threshold:** Not determined.
- **pH-value at 20 °C:** 9.9
- **Change in condition**
 - Melting point/freezing point: Undetermined.
 - Initial boiling point and boiling range: 100 °C
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Not applicable.
- **Ignition temperature:** Not determined.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower: Not determined.
 - Upper: Not determined.
- **Oxidising properties:** Not applicable.
- **Vapour pressure at 20 °C:** 23 hPa
- **Density at 20 °C:** 1.024 g/cm³
- **Relative density:** Not determined.
- **Vapour density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with water:** Fully miscible.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
 - Dynamic: Not determined.
 - Kinematic: Not determined.
- **Solvent content:**
 - VOC (EC) 0.00 %
- **9.2 Other information:** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity:** No dangerous reactions known.

(Cont. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2020

Version number 2.0

Revision: 02.07.2019

Trade name: FJ LC-V FINISHING SOL RTU 20L

(Cont. from page 5)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** See "Fire Fighting measures".
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

497-19-8 sodium carbonate

Oral	LD50	4,090 mg/kg (rat)
------	------	-------------------

52-51-7 2-bromo-2-nitropropane-1,3-diol

Oral	LD50	305 mg/kg (rat)
------	------	-----------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Cont. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2020

Version number 2.0

Revision: 02.07.2019

Trade name: FJ LC-V FINISHING SOL RTU 20L

· **12.6 Other adverse effects** No further relevant information available.

(Cont. from page 6)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

· **European waste catalogue**

09 00 00	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01 00	wastes from the photographic industry
09 01 02*	water-based offset plate developer solutions

· **Uncleaned packaging:**

· **Recommendation:**

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, ADN, IMDG, IATA** Not applicable

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA** Not applicable

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class** Not applicable

· **14.4 Packing group**

· **ADR, IMDG, IATA** Not applicable

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **UN "Model Regulation":**

Not applicable

GB

(Cont. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2020

Version number 2.0

Revision: 02.07.2019

Trade name: FJ LC-V FINISHING SOL RTU 20L

(Cont. from page 7)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

- **Creation Date** 02.07.2019

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organisation
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 Acute Tox. 3: Acute toxicity - oral - Category 3
 Acute Tox. 4: Acute toxicity - oral - Category 4
 Acute Tox. 2: Acute toxicity - dermal - Category 2
 Skin Corr. 1C: Skin corrosion/irritation - Category 1C

(Cont. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2020

Version number 2.0

Revision: 02.07.2019

Trade name: FJ LC-V FINISHING SOL RTU 20L

(Cont. from page 8)

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1A: Skin sensitisation – Category 1A
Repr. 2: Reproductive toxicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

• * **Data modified compared to previous version.**

GB